

Corrigendum- I for Supply of 2F ADSS (All – Dielectric Self Supporting) Optical Fiber Cable on Rate Contract

<b>Andhra Pradesh State FiberNet Limited</b>
<b>Corrigendum - I Dated: 19-01-2021</b>
<b>APSFL/Spares Requirement/342/2021/02, Dated: 12-01-2021</b>

S. No	Section No	Page No	Existing Clause	Revised Clause
1		2	Sealed Quotations are to be submitted as per the Annexure 1 – Price Bid Form before the last date i.e 20/01/2021 11:00 Hrs. The Quotations will be opened on 20/01/2021 at 16:00 Hrs.	<b>Sealed Quotations are to be submitted as per the Annexure 1 – Price Bid Form before the last date i.e 25/01/2021 14:00 Hrs. The Quotations will be opened on 25/01/2021 at 16:00 Hrs.</b>
2	Annexure II	4	Minimum Technical Specifications (Fiber Shape: Round)	<b>Minimum Technical Specifications (Fiber Shape: Oval), Detailed Specifications are attached below</b>

Corrigendum- I for Supply of 2F ADSS (All – Dielectric Self Supporting) Optical Fiber Cable on Rate Contract

<b>2F ADSS OFC Specifications</b>		
<b>S.No</b>	<b>Description</b>	<b>Specifications</b>
1	Fiber Type	2F Single Mode Unitube Single Embedded FRP ADSS Optical Fiber Cable (ITU.T - G652D) – Oval Shape
2	No. of Fibers in Tube	2
3	Material	UV Proof HDPE
4	Colour	Black
5	Maximum Cabled Fiber Attenuation db/Km	1310nm: <0.36 & 1550nm :<0.23
6	Loose Tube Diameter	2.0mm : + / - (0.06 mm)
7	Loose Tube Thickness	0.32 mm : + / - (0.03 mm)
8	Span Length	65 Mtrs
9	Impact Resistance	25Nm
10	Min. Bend Radius	20D
11	Loose Tube	PBT
12	Loose Tube (no)	1

Corrigendum- I for Supply of 2F ADSS (All – Dielectric Self Supporting) Optical Fiber Cable on Rate Contract

13	Weight of the cable	25 Kg + / - 10%
14	Operating Temperature	30°C to +70° C
<b>Note: Test should be carried out as per IEC Standards, Change in attenuation should be with in &lt;0.05 db/Km</b>		